

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population				29,640		Community Options and MA Waiver Programs		
Population per square mile				34		Per 10,000		
County ranking in state (1-72)				45		Staffing - FTE		
						Number		
						Population		
Age	Female	Male	Total	Clients	Costs			
0-14	2,840	3,010	5,850	COP	81	\$208,299	Total staff	
15-19	980	1,400	2,380	MA Waiver *			11	
20-24	670	680	1,360	CIP1A	9	\$350,858	Administrative	
25-29	780	810	1,590	CIP1B	71	\$1,634,777	1	
30-34	910	960	1,870	CIP2	36	\$249,623	Professional staff	
35-39	1,180	1,150	2,330	COP-W	110	\$324,488	7	
40-44	1,250	1,260	2,510	CSLA	.	\$0	Technical/Paraprof.	
45-54	1,880	1,970	3,860	Brain Injury	3	\$94,111	.	
55-64	1,540	1,510	3,050	Total COP/Wvrs	226	\$2,862,155	Support staff	
65-74	1,270	1,160	2,430				3	
75-84	980	690	1,650				0.9	
85+	550	220	770				Funding	
Total	14,830	14,810	29,640				Per capita	
							Total	
Age	Female	Male	Total				\$574,932	
0-17	3,500	4,040	7,540				Local Taxes	
18-44	5,110	5,230	10,350				\$413,133	
45-64	3,420	3,480	6,910				\$19.40	
65+	2,800	2,070	4,850				\$13.94	
Total	14,830	14,810	29,640					
Poverty Estimates for 1997							----- Licensed Establishments -----	
Estimate (C.I.+/-)							Type	
All ages	2,400	548					Capacity	
	8.1%	(2%)					Facilities	
Ages 0-17	907	234					Bed & Breakfast	
	11.7%	(3%)					23	
----- Employment -----							7	
Average wage for jobs covered							Camps	
by unemployment compensation							550	
Note: based on place of work							11	
Annual							Hotels, Motels	
Labor Force Estimates							619	
Average							Tourist Rooming	
Civilian Labor Force							60	
Number employed							21	
Number unemployed							Pools	
Unemployment rate							9	
							Restaurants	
							162	
							Vending	
							2	
							----- WIC Participants -----	
							Number	
							Pregnant/Postpartum	
							150	
							Infants	
							157	
							Children, age 1-4	
							233	
							Total	
							540	
							----- Cancer Incidence -----	
							1999	
							Primary Site	
							Number	
							Breast	
							30	
							Cervical	
							9	
							Colorectal	
							20	
							Trachea, Bronchus, Lung	
							23	
							Prostate	
							22	
							Other sites	
							92	
							Total	
							196	

NATALITY

TOTAL LIVE BIRTHS			281	<u>Birth Order</u>		<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>				
Crude Live Birth Rate			9.5	First		97	35	Married			212	75				
General Fertility Rate			48.7	Second		111	40	Not married			69	25				
Live births with reported congenital anomalies			4	. %	Third		44	16	Unknown			0	0			
					Fourth or higher		29	10								
					Unknown		0	0	<u>Education of Mother</u>							
<u>Delivery Type</u>			<u>Births</u>	<u>Percent</u>	<u>First Prenatal Visit</u>		<u>Births</u>	<u>Percent</u>	<u>Births</u>				<u>Percent</u>			
Vaginal after					1st trimester		236	84	Elementary or less				2	1		
previous cesarean			7	2	2nd trimester		37	13	Some high school				28	10		
Forceps			1	<.5	3rd trimester		7	2	High school				113	40		
Other vaginal			216	77	No visits		1	<.5	Some college				81	29		
Primary cesarean			32	11	Unknown		0	0	College graduate				57	20		
Repeat cesarean			25	9									Unknown		0	0
Other or unknown			0	0									<u>Number of Prenatal Care visits</u>		<u>Births</u>	<u>Percent</u>
<u>Birthweight</u>			<u>Births</u>	<u>Percent</u>	No visits		1	<.5	Smoker				69	25		
<1,500 gm			5	1.8	1-4		4	1	Nonsmoker				212	75		
1,500-2,499 gm			15	5.3	5-9		72	26	Unknown				0	0		
2,500+ gm			261	92.9	10-12		110	39								
Unknown			0	0	13+		94	33								
					Unknown		0	0								

Race of Mother	Births	Percent	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White	279	99	19	6.8	234	84	37	13	8	3
Black	2	1	*	.	*	.	*	.	*	.
Other	0	0
Unknown	0	0

Age of Mother	Fertility		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15	0	--
15-17	2	.	*	.	*	.	*	.	*	.
18-19	23	72	2	8.7	14	61	8	35	1	4
20-24	73	109	6	8.2	55	75	15	21	3	4
25-29	84	108	5	6.0	73	87	10	12	1	1
30-34	71	78	5	7.0	68	96	1	1	2	3
35-39	23	19	2	8.7	22	96	1	4	.	.
40+	5	.	.	.	3	60	2	40	.	.
Unknown	0	--

Teenage Births

25 25

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	11
Giardiasis	7
Hepatitis Type A	<5
Hepatitis Type B**	<5
Hepatitis NANB/C	<5
Legionnaire's	<5
Lyme	5
Measles	***
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	<5
Shigellosis	0
Tuberculosis	<5

* 2000 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	46
Genital Herpes	10
Gonorrhea	11
Syphilis	0

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	3,999
Non-compliant	48
Percent Compliant	98.8

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	333
Crude Death Rate	1,123

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	2	.
15-19	2	.
20-34	2	.
35-54	22	253
55-64	27	885
65-74	61	2,506
75-84	92	5,576
85+	123	16,016

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	2	.
Neonatal	1	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	2	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	3	.
Neonatal	1	.
Fetal	2	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	97	327
Ischemic heart disease	76	256
Cancer (total)	65	219
Trachea/Bronchus/Lung	19	.
Colorectal	5	.
Female Breast	4	.*
Cerebrovascular Disease	24	81
Lower Resp. Disease	12	.
Pneumonia & Influenza	12	.
Accidents	23	78
Motor vehicle	8	.
Diabetes	7	.
Infectious & Parasitic	4	.
Suicide	7	.

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	4	.
Other Drugs	5	.
Both Mentioned	1	.

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	344	8
Alcohol-Related	39	1
With Citation:		
For OWI	25	0
For Speeding	24	1
Motorcyclist	11	1
Bicyclist	5	0
Pedestrian	8	1

----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

Injury-Related: All

Total	318	10.7	4.4	\$11,197	\$120
<18	30	4.0	3.6	\$7,699	\$31
18-44	70	6.8	4.5	\$11,877	\$80
45-64	70	10.1	4.4	\$12,214	\$124
65+	148	30.5	4.6	\$11,104	\$339

Injury: Hip Fracture

Total	47	1.6	5.8	\$12,262	\$19
65+	47	9.7	5.8	\$12,262	\$119

Injury: Poisonings

Total	20	0.7	2.1	\$3,845	\$3
18-44	10

Psychiatric

Total	181	6.1	5.2	\$4,441	\$27
<18	33	4.4	5.9	\$4,066	\$18
18-44	92	8.9	3.7	\$3,131	\$28
45-64	17
65+	39	8.0	7.4	\$6,970	\$56

Coronary Heart Disease

Total	278	9.4	2.9	\$15,712	\$147
45-64	109	15.8	2.1	\$15,421	\$243
65+	156	32.2	3.5	\$15,823	\$509

Malignant Neoplasms (Cancers): All

Total	165	5.6	6.1	\$14,743	\$82
18-44	14
45-64	53	7.7	5.7	\$15,826	\$121
65+	95	19.6	5.9	\$12,371	\$242

Neoplasms: Female Breast (rates for female population)

Total	21	1.4	1.7	\$5,534	\$8
-------	----	-----	-----	---------	-----

Neoplasms: Colo-rectal

Total	22	0.7	5.5	\$11,538	\$9
65+	15

Neoplasms: Lung

Total	21	0.7	7.8	\$16,203	\$11
-------	----	-----	-----	----------	------

Diabetes

Total	37	1.2	5.5	\$10,386	\$13
65+	17

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

Alcohol-Related

Total	126	4.3	4.6	\$3,369	\$14
18-44	79	7.6	4.6	\$3,205	\$24
45-64	30	4.3	4.3	\$3,852	\$17

Pneumonia and Influenza

Total	155	5.2	4.4	\$6,412	\$34
<18	22	2.9	2.6	\$3,451	\$10
45-64	31	4.5	4.1	\$6,303	\$28
65+	94	19.4	5.0	\$7,241	\$140

Cerebrovascular Disease

Total	97	3.3	4.1	\$9,259	\$30
45-64	27	3.9	4.5	\$11,119	\$43
65+	65	13.4	3.9	\$8,536	\$114

Chronic Obstructive Pulmonary Disease

Total	95	3.2	4.1	\$6,232	\$20
<18	10
18-44	9
45-64	17
65+	59	12.2	4.6	\$6,541	\$80

Drug-Related

Total	18
18-44	14

Total Hospitalizations

Total	4,048	136.6	3.7	\$7,788	\$1,064
<18	516	68.4	3.2	\$4,231	\$290
18-44	980	94.8	3.1	\$5,702	\$540
45-64	837	121.1	3.5	\$9,739	\$1,180
65+	1,715	353.5	4.3	\$9,099	\$3,216

----- PREVENTABLE HOSPITALIZATIONS* -----

Total	610	20.6	4.0	\$6,202	\$128
<18	46	6.1	2.2	\$2,442	\$15
18-44	66	6.4	3.0	\$4,539	\$29
45-64	117	16.9	4.5	\$7,906	\$134
65+	381	78.5	4.3	\$6,420	\$504

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.